

L Number	Hits	Search Text	DB	Time stamp
-	4	5884312.pn.,6061741.pn.,5784562.pn.,5889962.pn	USPAT; US-PGPUB	2003/08/19 13:34
-	0	(session near identification) same modulus and @ad<20000728	USPAT; US-PGPUB	2003/08/19 13:50
-	1	(session WITH identification) same modulus and @ad<20000728	USPAT; US-PGPUB	2003/08/19 13:54
-	6	(manag\$3 same (server and request) same identification and @ad<20000728) and "hash function"	USPAT; US-PGPUB	2003/08/19 13:56
-	201	manag\$3 same (server and request) same identification and @ad<20000728	USPAT; US-PGPUB	2003/08/19 14:54
-	120	"server request" same management and @ad<20000728	USPAT; US-PGPUB	2003/08/19 15:19
-	45	server same "session identification" and @ad<20000728	USPAT; US-PGPUB	2003/08/19 16:05
-	8	"application server" same (session adj (identifier or "ID")) and @ad<20000728	USPAT; US-PGPUB	2003/08/19 16:11
-	5	("application server" same (session adj (identifier or "ID")) and @ad<20000728) and table	USPAT; US-PGPUB	2003/08/19 16:13
-	0	((("application server" same (session adj (identifier or "ID")) and @ad<20000728) and table) and hash	USPAT; US-PGPUB	2003/08/19 16:14
-	171	"multiple server" same management and @ad<20000728	USPAT; US-PGPUB	2003/08/20 08:06
-	4	("multiple server" same management and @ad<20000728) and (session adj identifier)	USPAT; US-PGPUB	2003/08/20 14:55
-	41298	((routing same request) and multiple server) and @ad<20000728	USPAT; US-PGPUB	2003/08/20 08:45
-	1206	((((routing same request) and multiple server) and @ad<20000728) and (session adj identifier) or (session adj "ID"))	USPAT; US-PGPUB	2003/08/20 08:46
-	9	(((((routing same request) and multiple server) and @ad<20000728) and (session adj identifier) or (session adj "ID"))) and hash) and "look-up table"	USPAT; US-PGPUB	2003/08/20 08:47
-	167	(((((routing same request) and multiple server) and @ad<20000728) and (session adj identifier) or (session adj "ID"))) and hash	USPAT; US-PGPUB	2003/08/20 08:51
-	5	("multiple server" WITH "data system") same (session and request) and @ad<20000728	USPAT; US-PGPUB	2003/08/20 10:04
-	1	"session affinity" and @ad<20000728	USPAT; US-PGPUB	2003/08/20 10:08
-	102	"affinity" same (multi or multiple) and server and @ad<20000728	USPAT; US-PGPUB	2003/08/20 10:08
-	1	6061741.pn.	USPAT; US-PGPUB	2003/08/20 13:05
-	268	server same (session adj ("identifier" or "ID")) and @ad<20000728	USPAT; US-PGPUB	2003/08/20 13:39
-	4	calculating same (session adj ("identifier" or "ID")) and @ad<20000728	USPAT; US-PGPUB	2003/08/20 13:45
-	40	(creating or developing) same (session adj ("identifier" or "ID")) and @ad<20000728	USPAT; US-PGPUB	2003/08/20 14:09
-	46	(algorithm) same (session adj ("identifier" or "ID")) and @ad<20000728	USPAT; US-PGPUB	2003/08/20 14:21
-	26	("session identifier" or "session ID") and hash\$3 and (modulus or modula or mod) and @ad<20000728	USPAT; US-PGPUB	2003/08/20 14:27
-	1	"multiple server" same "session identification" and @ad<20000728	USPAT; US-PGPUB	2003/08/20 14:52
-	297	managing and ("multi-server" or "multiple server") and session\$ and @ad<20000728	USPAT; US-PGPUB	2003/08/20 14:58
-	25	managing and ("multi-server" or "multiple server") and ("session identification" or "session ID") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 09:54
-	54	managing and ("multi-server" or "multiple server") and ("session identification" or "session ID" or "session identifier") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 09:54
-	1	6539494.pn.	USPAT; US-PGPUB	2003/08/21 08:39

-	0	managing WITH ("multi-server" or "multiple server") and ("session identification" or "session ID" or "session identifier") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 08:57
-	0	managing same ("multi-server" or "multiple server") and ("session identification" or "session ID" or "session identifier") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 09:44
-	15	((routing same "application server") and ("session identifier" or "session ID" or "session identification")) and @ad<20000728	USPAT; US-PGPUB	2003/08/21 09:45
-	15	((routing same "application server") and ("session identifier" or "session ID" or "session identification")) and @ad<20000728	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 09:45
-	30	calculating same value and ("session identification" or "session ID" or "session identifier") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 10:19
-	8	calculating same ("session identification" or "session ID" or "session identifier") same (hash\$ and ("mod" or "modula" or "modulus")) and @ad<20000728	USPAT; US-PGPUB	2003/08/21 10:31
-	9	modulus same (hash\$3 or "hash function") and ("lookup table" or "look-up table") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 10:51
-	13	"data processing" and modulus and (hash\$3 or "hash function") and ("lookup table" or "look-up table") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 10:55
-	1	(servicing adj requests) same session and "different servers" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 10:57
-	78	servicing and session and "different servers" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 10:57
-	0	"routing requests" same "first value" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:35
-	0	"routing requests" same "calculating value" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:36
-	3633	"routing requests" same ("value" and session) and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:40
-	35	"routing requests" and ("first value") and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:43
-	0	"multiple server" same "routing scheme" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:43
-	0	"multiple server" same "routing method" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:43
-	28	"multiple server" same "routing" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:51
-	0	"servicing session requests" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:52
-	926	"servicing requests" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 11:53
-	481	("servicing requests" and @ad<20000728) and server	USPAT; US-PGPUB	2003/08/21 11:53
-	165	((("servicing requests" and @ad<20000728) and server) and session	USPAT; US-PGPUB	2003/08/21 12:57
-	0	"multi-server data service system" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 12:58
-	0	"multi-server data system" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 12:58
-	16	"multi-server" and "data processing system" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 12:58
-	5	"hash value" and mapped and "application server" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 13:11
-	1	"affinity" and "application server" and "look-up table" and @ad<20000728	USPAT; US-PGPUB	2003/08/21 13:12
-	575	request\$ same (plurality near servers) and @ad<20000728	USPAT; US-PGPUB	2003/08/21 13:13
-	21	(request\$ same (plurality near servers) and @ad<20000728) and ("session identifier" or "session id" or "session identification")	USPAT; US-PGPUB	2003/08/21 13:18

-	11	("5283897"   "5898870"   "6026425"   "6178160"   "6199065"   "6249801"   "6330605"   "6353847"   "6363461"   "6374297"   "6401121").PN.	USPAT	2003/08/21 13:15
-	0	6560717.URPN.	USPAT	2003/08/21 13:16
-	26	session adj manage\$4 and ("session identifier" or "session id" or "session identification") and hash\$4 and @ad<20000728	USPAT; USPAT; US-PGPUB	2003/08/21 13:20
-	437	(modulo or modulus) same hash\$3	USPAT;	2003/08/21 14:06
-	195	((modulo or modulus) same hash\$3) and load	US-PGPUB USPAT;	2003/08/21 14:06
-	446	hash\$3 same session and (database or "look-up table")	USPAT; US-PGPUB	2003/08/21 14:08
-	5	((modulo or modulus) same hash\$3) and load) and (hash\$3 same session and (database or "look-up table")) and @ad<20000728	USPAT; US-PGPUB	2003/08/21 14:11
-	14	session near2 identif\$6 same hash\$3	USPAT	2003/08/21 14:12
-	46	session near2 identif\$6 same hash\$3	USPAT; US-PGPUB	2003/08/21 14:52
-	12	(session near2 identif\$6 same hash\$3) and @ad<20000728	USPAT; US-PGPUB	2003/08/21 15:07
-	1414	session near4 ("ID" or identifier or identification) and @ad<20000728	USPAT; US-PGPUB	2003/08/21 14:33
-	1262800	(session near4 ("ID" or identifier or identification) and @ad<20000728) and "look-up" or table or hash\$3 or load	USPAT; US-PGPUB	2003/08/21 14:34
-	1127	(session near4 ("ID" or identifier or identification) and @ad<20000728) and ("look-up" or table or hash\$3 or load)	USPAT; US-PGPUB	2003/08/21 14:35
-	1029	(session near4 ("ID" or identifier or identification) and @ad<20000728) and ("look-up" or table or hash\$3)	USPAT; US-PGPUB	2003/08/21 14:35
-	300	(session near4 ("ID" or identifier or identification) and @ad<20000728) and ("look-up" or hash\$3)	USPAT; US-PGPUB	2003/08/21 14:37
-	20	((session near4 ("ID" or identifier or identification) and @ad<20000728) and ("look-up" or hash\$3)) and (load adj (distribution or balance\$))	USPAT; US-PGPUB	2003/08/21 14:38
-	16	("multi-server" or "multiple servers" or (plurality near2 servers)) same ("load balancing" or "load distribution") and hash\$3 and @ad<20000728	USPAT; US-PGPUB	2003/08/21 15:09
-	86	modulus and "first value" and ("look-up" or database) and @ad<20000728	USPAT; US-PGPUB	2003/08/22 09:10
-	63	modulus and "first value" and "look-up" and @ad<20000728	USPAT; US-PGPUB	2003/08/22 09:11
-	1	modulus near4 "first value" and "look-up" and @ad<20000728	USPAT; US-PGPUB	2003/08/22 09:11
-	2	modulus same "first value" and "look-up" and @ad<20000728	USPAT; US-PGPUB	2003/08/22 09:22
-	65	hash near8 modulus and @ad<20000728	USPAT; US-PGPUB	2003/08/22 10:25
-	82	hash same "look-up table" and @ad<20000728	USPAT; US-PGPUB	2003/08/22 10:43
-	0	"server routing" near8 "look-up table" and @ad<20000728	USPAT; US-PGPUB	2003/08/22 10:44
-	157	routing near8 "look-up table" and @ad<20000728	USPAT; US-PGPUB	2003/08/22 11:14
-	39	(routing near8 "look-up table" and @ad<20000728) and server	USPAT; US-PGPUB	2003/08/22 10:58
-	438	(server with requests) and "look-up table" and @ad<20000728	USPAT; US-PGPUB	2003/08/22 10:59
-	187	((server with requests) and "look-up table" and @ad<20000728) and routing	USPAT; US-PGPUB	2003/08/22 11:02
-	208	"look-up table" WITH integer and @ad<20000728	USPAT; US-PGPUB	2003/08/22 11:03
-	10	("look-up table" WITH integer and @ad<20000728) and server	USPAT; US-PGPUB	2003/08/22 11:03
-	1	routing near8 ("look-up table" and integer) and @ad<20000728	USPAT; US-PGPUB	2003/08/22 11:15

-	3	reapplying same hash\$3 and @ad<20000728	USPAT; US-PGPUB	2003/08/22 13:26
-	1	reapply same hash\$3 and @ad<20000728	USPAT; US-PGPUB	2003/08/22 13:26
-	3	reapply\$3 same hash\$3 and @ad<20000728	USPAT; US-PGPUB	2003/08/22 13:26
-	22	hash near5 twice and @ad<20000728	USPAT; US-PGPUB	2003/09/02 14:17
-	38	hash WITH twice and @ad<20000728	USPAT; US-PGPUB	2003/09/02 13:43
-	9	(hash WITH twice and @ad<20000728) and (route or routing or dispatch or dispatching)	USPAT; US-PGPUB	2003/09/02 13:43
-	38	hash WITH twice and @ad<20000728	USPAT; US-PGPUB	2003/09/02 14:17
-	1	"6389419"	USPAT; US-PGPUB	2003/09/02 14:49